Product Overview

KACOM

ISO-9001

www.kacon.co

凱昆
機電·工控
KACON

www.kacon.co

Company Profile

Korea Auto Controls Co., Ltd. (HQ), founded in 1955, is mainly based on automation industry control components and mechanical equipment components, mainly focus on developing, manufacturing and selling a variety of high-end industrial control electrical appliances. Our products with high technical content, low energy consumption, no pollution characteristics, gains great reputation in the industrial auto control industry.

Kacon has 3 production bases, located in Incheon Korea, Weihai Shandong China, Yueqing Zhejiang China.

Our company has been awarded " Quality Supplier Enterprise" by LG, Samsung and other well-known companies in the top 10 of Korea's Fortune Global 500.

Small size push button switch & Pilot lamp
Series Type
Ø 8mm: K08 ···
Ø 10mm: K10 ···
Ø 12mm: K12 ···

Small size push button switch & Pilot lamp
Series Type
Ø16mm: K16···
Certifications

Flush push button switch
Series Type
Ø20mm Slim Type: K160 ···
Certifications

Control switch & Pilot lamp
Series Type
Ø22mm: K22 ···
Ø25mm: K25 ···
Ø30mm: K30 ···
Ø30mm Slim Type: K250···
Certifications

Control switch & Pilot lamp
Series Type
Ø 22mm: K2 ···
Certifications

Control switch & Pilot lamp
Series Type
Ø25mm: B25 ···
Ø30mm: B30 ···
Certifications

European style push button switch & Pilot lamp
Series Type
J2···
Certifications

Waterproof metal switch & Pilot lamp
Series Type
Ø 8/12/16/19/22/25/30mm: T···
Certifications

Control switch & Pilot lamp
Series Type
Ø 22, Ø 25mm: K2M ···
Certifications

Isolation switch
Series Type
KAS···
Certifications

Box switch
Series Type
Ø22mm: KEX ···
Certifications
IP65

Plastic cover
Series Type
KEG ···

Sensor & Encoder

Series Type

Proximity sensor···
Photoelectric sensor···
Rotary encoder···

Certifications

CE

Plastic and aluminum limit switch

Series Type

ZXL ···
ZXM ···
ZXG ···

Certifications

CE

Limit switch

Series Type

ZXL-T ···

Certifications

CE



Snap action limit switch

Series Type

ELN ···
ZLN ···
KL-S/L/M ···

Certifications

CE

Micro switch

Series Type Certifications

Z15 ···
V15 ···

Power push button

Series Type

KE ···

Certifications

Rotary switch disconnector

Series Type

Panel type:MLD-P···
Door interlock rail type：MLD-ESE···
Rail type:MLD-DE···
Sealed protective box:MLDX···

Certifications

CE

Rotary cam switch

Series Type

10A: KAM ···
30A: KAH ···

Certifications

CE



SSR

Series Type

KSR ···
KSC ···

Certifications

Economical SSR

Series Type

KMSR···

Certifications

Relay & Socket

Series Type Certifications

TA/TR ···
505 ···
HR705 ···
HR710 ···
HR707N ···
730 ···
HR723 ···
HR-CR3 ···
TF-1C
SOCKET
K708
K7SR

Heavy duty relay

Series Type

K750 ···
KM ···

Timer
Series Type
Multi-function：TTL…
Multi-function：TTS…
Tiny type：TTM…

Waterlevel switch
Series Type
FLR-202…
FLR-203…
Electrode holder:HS-3A
Certifications
CE

Intelligent overcurrent relay
Series Type
iOCR …
Certifications
CE



Single-phase magnetic contactor
Series Type
25A~50A: KMC …
Certifications
CE

PLC interface terminal
Series Type Certifications
Relay module:RXT… CE
Interface Terminal：CXT… CE
PLC connection cable:RXT…
Relay Terminal:RXT-… CE
Sensor terminal block module:CXT-… CE



PLC terminal relay module
Series Type
RXT-F1/Q1
Certifications

Temperature controller
Series Type
KT…
Certifications
CE



PLC Terminal terminal module
Series Type
CXT-W …
Certifications
CE

Switching power supply
Series Type
Metal shield:EQ1…
Rail type：EQ5…
Certifications
CE

Solar power generation system accessories
Series Type
KTD…
KHS…
KMD…
KF…
KTB…
KSD…
Certifications
CE

Multi-tone alarm & Signal speaker
Series Type

16 tones ø30mm:KSP-6···
4 tones ø66mm:KSP-4···
Certifications
CE

Buzzer
Series Type

ø16mm: K16-CZ/BZ ···
ø20mm Slim Type: K160-CZ ···
ø22mm: KB-2B ···
ø25mm: KB-5B ···
ø30mm Slim Type: KB-5BP
ø22/25mm : KPL-BZ ···
ø25mm: HRB-PS52 ···
ø30mm: HRB-PS50 ···
ø66mm: KMB ···
Programmed voice alarm: KSV ···
Certifications
CE



Combined indicator light
Series Type

30 × 30mm: SL30 ···
30 × 40mm: SL40 ···
Certifications
CE

Pilot lamp
Series Type

Universal type:STL ···
CC-Link type: STC ···
DeviceNet type: STD ···
EtherNet type : STE ···
USB type : STU ···
Certifications
CE

Series Type Certifications

Cable relief:KA-PG··· CE
Short body LED indicator:KPL··· CE
Spherical LED indicator:KR··· CE
Copper shell LED indicator:KL··· CE
Fuse holder:KF··· CE
Fixed terminal block:KTB1··· CE
Separate type terminal block:KTB2/3··· CE

Fuse holder
Series Type

KF ···
Certifications
CE

Miniature circuit breaker & Residual current circuit breaker
Series Type

KMCB & KRCBO···
Certifications
CE

Heater
Series Type

KSH ···
Certifications
CE

Mechanical temperature controller
Series Type

KTS ···
Certifications

Temperature controller
Series Type

KTC ···
Certifications
CE

PTC chip heater
Series Type

KCH···
Certifications
CE

Humidity controller
Series Type

KHC···
Certifications
CE

Series Type Certifications

Under-cabinet light:KCL··· CE
DIN rail indicator:DPL···
Relay socket:KMY···/KCY··· CE

www.kacon.co

Two-handed control console

Series Type

HRF···

Ergonomic design to reduce stress on hands, wrists and arms

Minimizing the possibility of accidental drives

Any custom combination drive button and foot switch type

Six gear height lifting, four gear forward tilt, back tilt adjustment

Used for press, shearing machine, guillotine equipment, etc

(Metallurgical plant, automobile forging, painting, etc.)

Certifications

CE

New

PTC chip heater

Series Type

KCH···

Small size, suitable for small Spaces

High efficiency, fast heating, constant temperature, energy saving

Life up to 10 years (power attenuation)

The body surface heating temperature can reach 200 ° C

Safety, no redness, no explosion, high insulation, carbon steel nickel plated isolation

Certifications

CE

New

Semiconductor solid state relay module

Series Type

RXT-S···

No contact quiver, no sparks during use

Low power consumption, low leakage current

fast switching speed, no stagnation

It is more suitable for fast signal

transmission than traditional relays

Input working voltage DC 5-30V

The load is shared between AC and DC

New

Safety Relay

Series Type

K7SR Series···

High insulation capacity: 10kV surge voltage between input and output

6A switching capacity

High insulation capacity: 10kV surge voltage between input and output

Low power consumption: 360mW (4P) 500mW (6P)

Certifications

CE

New

Slim type relay

Series Type

K708···

12A high current load

Fire retardant sandy housing design

Space saving

Top side part zigzag structure

increase the friction force

more safety when plug-in and out

Certifications

Certifications

CE RoHS

New

1500VDC Fuse holder

Series Type

KF···

Sliding open/close, completely separate open/close

Safety design to prevent electric shock accident

Double terminal structure

Certifications

CE

New

KACON 选择

让，铸造完满灵魂的每端！

New

Electromagnetic Safety - Door - Lock Switch

Series Type

KXSR-···

11 optional keys

Top, side, bottom lock

LED indicator

1300N locking force

Certifications

CE